



Producer's Guide

Version 5.5

CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris Ltd. or its affiliates and any misuse or abuse will result in economic loss. DO NOT COPY UNLESS YOU HAVE BEEN GIVEN SPECIFIC WRITTEN AUTHORIZATION FROM EX LIBRIS LTD.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris Ltd. or an affiliate. The information herein includes trade secrets and is confidential

DISCLAIMER

The information in this document will be subject to periodic change and updating. Please confirm that you have the most current documentation. There are no warranties of any kind, express or implied, provided in this documentation, other than those expressly agreed upon in the applicable Ex Libris contract. This information is provided AS IS. Unless otherwise agreed, Ex Libris shall not be liable for any damages for use of this document, including, without limitation, consequential, punitive, indirect or direct damages.

Any references in this document to third-party material (including third-party Web sites) are provided for convenience only and do not in any manner serve as an endorsement of that third-party material or those Web sites. The third-party materials are not part of the materials for this Ex Libris product and Ex Libris has no liability for such materials.

TRADEMARKS

"Ex Libris," the Ex Libris Bridge to Knowledge , Primo, Aleph, Voyager, SFX, MetaLib, Verde, DigiTool, Rosetta, bX, URM, Alma , and other marks are trademarks or registered trademarks of Ex Libris Ltd. or its affiliates.

The absence of a name or logo in this list does not constitute a waiver of any and all intellectual property rights that Ex Libris Ltd. or its affiliates have established in any of its products, features, or service names or logos.

Trademarks of various third-party products, which may include the following, are referenced in this documentation. Ex Libris does not claim any rights in these trademarks. Use of these marks does not imply endorsement by Ex Libris of these third-party products, or endorsement by these third parties of Ex Libris products.

Oracle is a registered trademark of Oracle Corporation.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32, Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft Corporation in the United States and/or other countries.

Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Google is a registered trademark of Google, Inc.

Copyright Ex Libris Limited, 2018. All rights reserved.

Document released: April 2018

Web address: <http://www.exlibrisgroup.com>

Table of Contents

Chapter 1	Introduction to Producers.....	5
Chapter 2	Producers and Producer Agents	7
	About Producers and Producer Agents	7
	Producer Profiles	9
	<i>Producer Profile Components</i>	9
	<i>Producer Associations to Profiles</i>	10
	Producers, Producer Agents, and Staff Users	10
	Changing the User Interface Language.....	11
Chapter 3	Registering Producers and Producer Agents	13
	About Registering Producers and Producer Agents	13
	Registering Producers and Producer Agents	14
	<i>Registering to Deposit Their Own Content</i>	14
	<i>Registering to Deposit on Behalf of a Producer</i>	16
	Update Producer Agent Details	19
Chapter 4	Depositing Content	21
	About Depositing Content	21
	Material Flows.....	22
	Manual Deposit.....	22
	<i>Submission Formats</i>	23
	<i>Depositing Content Manually</i>	24
	Automated Deposit.....	33
	<i>Depositing Content Automatically</i>	34
	Depositing SIPs in CSV Structure	37
	Submissions of Limited METS.....	41
	<i>Metadata Types</i>	42
	<i>Material Flow</i>	42
	<i>Directory Structure</i>	42
	<i>Limited METS Structure</i>	43
	<i>Limited METS Sample</i>	43
	Content Review.....	45

Chapter 5	Deposit Activity Management	47
	About Deposit Activities	47
	Deposit Activity Folders.....	48
	<i>Drafts Folder</i>	48
	<i>Submitted Folder</i>	48
	<i>Returned Folder</i>	49
	<i>Declined Folder</i>	49
	<i>Approved Folder</i>	49
	Viewing Deposit Activity	51
	<i>Activity History</i>	51
	Editing and Depositing Draft Deposits.....	53
	Resubmitting Returned Deposits	55
	<i>Resubmitting an Entire Deposit</i>	55
	<i>Resubmitting Individual Returned Files</i>	57
	Managing Notes.....	58
	Deleting Deposit Activity.....	59
Index	61

1

Introduction to Producers

Producers are responsible for providing content (For more information, see [About Producers and Producer Agents](#) on page 7.)

Producer Agents are responsible for depositing content provided by Producers (For more information, see [About Producers and Producer Agents](#) on page 7.)

The following additional types of users interact with Rosetta production:

- **Staff users** review content deposited by Producer Agents, manage Producers and Producer Agents, and configure options available to them when they deposit content. There are different types of Staff users:
 - Deposit Managers
 - Negotiators
 - Assessors
 - Arrangers
 - Approvers
 - Technical Analysts
 - Editors

(For more information on when and how Producers and Producer Agents interact with Staff users, see [Producers, Producer Agents, and Staff Users](#) on page 10.)

- **Back Office Administrators** configure how the Rosetta system processes the content that Producer Agents deposit and how users interact with the system. (For more information, see the *Rosetta Configuration Guide*.)
- **System Administrators** configure the application server and database. (For more information, see the *Rosetta System Administrator's Guide*.)
- **Content consumers** access content deposited by Producer Agents. The Content consumers have read-only access.

This guide describes the role of Producers and Producer Agents and explains how they register, deposit content, and manage submissions.

2

Producers and Producer Agents

This section includes:

- **About Producers and Producer Agents** on page 7
- **Producer Profiles** on page 9
- **Producers, Producer Agents, and Staff Users** on page 10
- **Changing the User Interface Language** on page 11

About Producers and Producer Agents

Producers are responsible for providing content in the Rosetta system. Producers can be represented by individuals (known as Individual Producers) or organizations (known as Group Producers).

Producers authorize individual users, known as Producer Agents. These Producer Agents are responsible for depositing and managing content. The Producer may assign multiple Producer Agents to submit content, as shown in the diagram below:




Figure 1: Producer with Multiple Agents

Similarly, a Producer Agent can deposit and manage content of multiple Producers, as shown in the diagram below:




Figure 2: Producer Agent Depositing for Multiple Producers

Producer Agents deposit and manage Producer content through the Web-based interface.

Producer Profiles

Producer profiles govern how the associated Producer Agents can deposit content and how the Rosetta system processes this content. Producer profiles also define the amount of content that Producer Agents can deposit. Producer profiles are configured by Staff users.

For further information, see:

- [Producer Profile Components](#) on page 9
- [Producer Associations to Profiles](#) on page 10

Producer Profile Components

The Producer profile consists of the following components:

- **Deposit control settings**, which contain limitations on the amount of content that Producer Agents can deposit, and define whether the content needs to be reviewed by Staff Users.
- **Material flows**, which define the types of content that Producer Agents can deposit. This includes:
 - Information that Producer Agents must provide about the content
 - Access rights options available to Producer Agents
 - The deposit method (manual or automated) that the Producer Agent must follow

For more information on material flows, see [Material Flows](#) on page 22.

Producer Associations to Profiles

Producers can be associated with one of the following profiles:

- **Generic profiles**, which define material flows and deposit control settings that are assigned to all Producers (unless personalized settings have been configured).

Generic profiles are created by a Deposit Manager. They are assigned automatically by the Rosetta system when a Producer account is created. (For more information, see the section on Deposit Managers in the *Rosetta Staff User's Guide*.)

- **Personalized profiles**, which can include customized generic material flows, additional material flows, and customized deposit control settings.

Personalized profiles are created by a Negotiator. (For more information, see the section on Negotiators in the *Rosetta Staff User's Guide*.)

Producers with a generic profile can contact a Negotiator and request that their profile be personalized, if required.

Producers, Producer Agents, and Staff Users

This section explains how Producers, Producer Agents, and Staff users interact within the framework of the Rosetta system.

Staff users are responsible for:

- Reviewing content deposited by Producer Agents
- Managing Producers and Producer Agents
- Configuring options available to Producers and Producer Agents when they deposit content.

The Staff User Types table (below) describes the different types of Staff users.

Table 1. Staff User Types

Staff User	Description
Deposit Managers	<p>Configure and manage generic Producer profiles (For more information, see Producer Profiles on page 9.)</p> <p>Producers and Producer Agents do not contact Deposit Managers directly.</p>
Negotiators	<ul style="list-style-type: none"> ■ Personalize Producer profiles (For more information, see Producer Profiles on page 9.) ■ Associate Producer Agents with Producers and activate Producer Agents' registrations ■ Create accounts for Producers <p>Producers contact Negotiators to personalize a Producer profile and register a Producer account.</p>
Assessors, Arrangers, and Approvers	<p>Review content that Producer Agents deposit and decide whether the content should be approved, returned, or declined.</p> <p>Staff users contact Producer Agents through the user interface of the Rosetta system to explain why the content was returned or declined.</p>
Technical Analysts	<p>Analyze and correct technical problems in content that Producer Agents deposit.</p> <p>Technical Analysts contact Producer Agents through the Rosetta user interface to explain the technical issues with the content.</p>

Changing the User Interface Language

The Rosetta system enables Producers and Producer Agents to change the user interface language. The languages available vary according to your institution's configuration.

To change the user interface language of the Rosetta system:

- 1** In the upper-right corner, click the **Down** arrow next to the current language name.
- 2** Select the language you want to use for your work.
The page reloads with labels in the language you selected.

3

Registering Producers and Producer Agents

This section contains:

- [About Registering Producers and Producer Agents](#) on page 13
- [Registering Producers and Producer Agents](#) on page 14
- [Update Producer Agent Details](#) on page 19

About Registering Producers and Producer Agents

Before Producers or Producer Agents can work with the Rosetta system, they need to be registered in the system. This can be accomplished as described in the following table:

Table 2. Registration Methods

Register As...	When...	How to Register
Producer	<p>A user represents an organization that has multiple Agents who deposit content on behalf of this organization.</p> <p>OR</p> <p>A user represents an individual with one or more Producer Agents depositing on the individual Producer's behalf.</p>	<p>A user requests that a Negotiator manually create a Producer account. The user may also request that a Negotiator create accounts for Producer Agents. A user can also sign up through self-registration.</p> <p>This interaction follows the protocols established by individual institutions and is not circumscribed by the Rosetta system.</p>

Table 2. Registration Methods

Register As...	When...	How to Register
Producer Agent	Users are individuals who deposit content on their own behalf or on behalf of a Producer.	Self-register through the Web-based interface.

Registering Producers and Producer Agents

Users can self-register as Producers and Producer Agents through the Web-based interface. When registering, users need to choose whether they are

- **Registering to Deposit Their Own Content** or
- **Registering to Deposit on Behalf of a Producer.**

Registering to Deposit Their Own Content

If users plan to deposit their own content, the Rosetta system registers them as Producers and Producer Agents at the same time. As soon as they enter the required information, the Rosetta system creates and automatically activates the Producer/Producer Agent account as an individual account. Users can begin depositing content immediately.

To register if you plan to deposit your own content:

- 1 Using a Web browser, access the logon page.
- 2 From the logon page, click **Register**. The Register page opens.

ExLibris Rosetta Deposit

Register

Please complete your details below.
Once completed, you will be able to deposit your material.

* User Name Language

* Password * Verify Password

* First Name * Last Name

Job Title

* Telephone 1 Telephone 2

* Street

Suburb

City

Country Postal Code

* Email Send Reports Yes No

* Security Check

Genrun chá-chá

Type the two words:

[Get two new words](#) | [Hear a set of numbers](#) | [Help](#)

Cancel

Figure 3: Producer Registration Page

- 3 Complete the fields on the form. A red asterisk indicates that a field is required.

NOTE:

All fields that have an asterisk are mandatory. If any mandatory field is not completed, the Complete Mandatory Fields page opens and prevents you from continuing until you enter all required fields.

- 4 In the Security Check field, enter the characters from the image into the blank text field.
 - If you cannot enter or guess the words, click the text below the field that says **Get two new words** and try again.
 - If you need to hear rather than see the security check entry, click the **Hear a set of numbers** text below the blank text field.
 - If you need further help with this step, click the **Help** text below the blank text field.
- 5 Click **Continue**.

The Depositing for the First Time page opens.

The screenshot shows the 'ExLibris Rosetta Deposit' page. At the top, it says 'Depositing for the first time' with a person icon. Below that, a message reads: 'Welcome Frieda Massey. In order to start the deposit process, please choose one of the following options:'. There are two radio button options: 'I will deposit on behalf of an Organisation or a Group' (which is unselected) and 'I will deposit in my own name' (which is selected). At the bottom, there are 'Cancel' and 'Continue' buttons.

Figure 4: Depositing for the First Time Page

- 6 Select **I will deposit in my own name** and click **Continue**. The Deposit in Your Own Name page opens.

The screenshot shows the 'ExLibris Rosetta Deposit' page titled 'Deposit in your own name'. It features a dropdown menu for 'What kind of material will you be submitting?' with 'plan to deposit published material' selected. Below the dropdown is a text area labeled 'Notes'. At the bottom, there are 'Cancel' and 'Register' buttons.

Figure 5: Deposit in Your Own Name Page

- 7 Complete the fields as required.
- 8 Click **Register**.

The Producer/Producer Agent is registered in the Rosetta system and sent a confirmation e-mail. The Producer/Producer Agent can now deposit content.

Registering to Deposit on Behalf of a Producer

If a user plans to deposit content on behalf of a Producer, the Rosetta system requests information about the Producer and registers the user as an Agent of this Producer.

To register if you plan to deposit content on behalf of a Producer:

- 1 Using a Web browser, access the logon page.
- 2 On the logon page, click **Register**. The Register page opens.

ExLibris Rosetta Deposit
Register

Please complete your details below.
Once completed, you will be able to deposit your material.

* User Name Language

* Password * Verify Password

* First Name * Last Name

Job Title

* Telephone 1 Telephone 2

* Street

Suburb

City

Country Postal Code

* Email Send Reports Yes No

* Security Check Genrun chá-chá
Type the two words:

[Get two new words](#) | [Hear a set of numbers](#) | [Help](#)

Cancel Continue


Figure 6: Producer Agent Registration

- 3 Complete the fields as required.

NOTE:

All fields that have an asterisk are mandatory. If any mandatory field is not completed, the Complete Mandatory Fields page opens. The page enables you to fill in the missing information and prevents you from continuing until you do so.

- 4 Click **Continue**. The Depositing for the First Time page opens.



Depositing for the first time

Welcome Johnson Jim. In order to start the deposit process, please choose one of the following options:


I will deposit on behalf of an Organisation or a Group

I will deposit in my own name

Cancel Continue

Figure 7: Depositing for the First Time Page

- 5 Select **I will deposit on behalf of someone else** and click **Continue**. The Add Producer Information page opens.



ExLibris Rosetta Deposit

Deposit on behalf of an Organisation or a Group

Name of Organisation or Group

Cancel Register

Figure 8: Add Producer Information Page

- 6 Enter the information of the Producer for which you want to deposit content and click **Register**.

The Rosetta system generates a Producer Agent account with the status of Pending.

A Negotiator reviews the account, creates a new Producer account if the Producer does not already exist, associates the new Producer Agent with the Producer, and approves the registration. Once the account has been approved, the Producer Agent receives an e-mail notification of successful registration and can begin depositing content.

Update Producer Agent Details

Producer Agents can update their own account details at any time after registration.

To change your password or update details of your Producer Agent account:

- 1 Log on to the Rosetta Deposit module using your Producer Agent credentials.
- 2 Click your user name in the banner of the page, then click **User Details**.
A form containing the details of your account opens.
- 3 Make changes to your information and click **Save**.
- 4 To view your changes, log out and then log in again.

4

Depositing Content

This section contains:

- **About Depositing Content** on page 21
- **Material Flows** on page 22
- **Manual Deposit** on page 22
- **Automated Deposit** on page 33
- **Depositing SIPs in CSV Structure** on page 37
- **Submissions of Limited METS** on page 41
- **Content Review** on page 45

About Depositing Content

Producer Agents deposit content through a Web-based wizard. The wizard consists of a series of input forms that are defined by material flows associated with the Producer profile. (For more information, see **Producer Profiles** on page 9.) The material flows are created by Staff users.

Material flows can be configured for manual or automated deposit:

- Manual deposit enables Producer Agents to manually select files to be uploaded to the Rosetta system.
- Automated deposit enables loading files to the Rosetta system directly from a remote server or local computer.

Deposited content is reviewed by Staff users. They approve, return, or decline the content. (For more information, see **Producers, Producer Agents, and Staff Users** on page 10.)

Material Flows

Material flows govern the deposit process. Producers can have as many material flows as needed. Likewise, each material flow may be associated with many Producers.

Staff users can configure the following material flow parameters:

- **Metadata forms** define the types of information the Producer Agents must provide about the content. This can include author, title, owner, creation date, and description.
- **Access rights** define the options the Producer Agents can select to control who can view the content.
- **Retention policies** allow Producer Agents to place date or duration limits on the storage of the material.
- **Submission formats** define how Producer Agents upload files and what limitations are applied to the files. Submission formats can be created for manual and automated deposits. (For more information, see [Manual Deposit](#) on page 22 or [Automated Deposit](#) on page 33.)
- **Content structure templates**, which determine the XML framework for providing content metadata. The Rosetta system supports Dublin Core, METS, and comma-separated values (CSV) standards.

Manual Deposit

When depositing manually, Producer Agents select files to be uploaded. The manual deposit process consists of the following steps:

- 1 Logging on to the Rosetta system
- 2 Selecting the type of objects for deposit
- 3 Providing descriptive information about the Producer and content
- 4 Granting access rights
- 5 Selecting the files to upload
- 6 Confirming and submitting the content

NOTE:

If Producer Agents submit compressed files, the system automatically extracts them in accordance with the automatic decomposition rules (see [Configuring Automatic Decomposition Rules](#) in the *Rosetta Configuration Guide*). The procedure for submitting compressed files is identical to that of regular files (as described in [Depositing Content Manually](#) on page 24). After a compressed file is selected for uploading on the Upload

Files page (**Figure 14**), the Selected Files list displays actual files extracted from it.

The following topics describe manual deposits:

- **Submission Formats** on page 23
- **Depositing Content Manually** on page 24
- **Depositing SIPs in CSV Structure** on page 37

Submission Formats

Producer Agents can upload files using one of the submission formats described in the following table:

Table 3. Submission Formats

Submission Format	Files Are Uploaded...	Limitations
HTTP Load	One by one	<p>The submission format limits:</p> <ul style="list-style-type: none"> ■ the total size and number of files that can be uploaded. ■ what file types can be uploaded. <p>For example, the submission format can limit the deposit to:</p> <ul style="list-style-type: none"> ■ JPG or PDF files only. ■ No more than 20 files. ■ No more than 5 MB for all files. <p>For more information, see HTTP Load Submission Format on page 28.</p>
Detailed	One by one	<p>The submission format specifies</p> <ul style="list-style-type: none"> ■ the exact number of each file type that must be uploaded. ■ the maximum size of each file to be uploaded. <p>For example, the submission format can limit the deposit to one PDF file that is no more than 2 MB. In addition, the submission format can stipulate that the deposit must have two JPG files that total no more than 10 MB.</p> <p>For more information, see Detailed Submission Format on page 30.</p>

Table 3. Submission Formats

Submission Format	Files Are Uploaded...	Limitations
Bulk (Aurigma licensed users only)	Multiple files simultaneously	<p>The submission format limits</p> <ul style="list-style-type: none">the total size and number of files for the deposit, regardless of the file types.what file types can be uploaded. <p>For example, the submission format can limit the deposit to:</p> <ul style="list-style-type: none">JPG or PDF files only.no more than 20 files.no more than 5 MB for all files. <p>For more information, see Bulk Submission Format (Aurigma Licensed Users Only) on page 31.</p>

Depositing Content Manually

The Rosetta system enables a user to deposit content manually using the Web-based interface. The interface consists of a series of pages that guide a user through the deposit process.

To deposit content manually:

- 1 Log on to your Rosetta account. The Deposit Activities page opens.




Figure 9: Add Deposit Activity Button

- 2 Click **Add Deposit Activity**. The Type of Material page opens.




Figure 10: Type of Material Page

- 3 Select the type of the material you want to deposit.

NOTE:

The material types that appear in the list are determined by the material flows associated with the profile of your Producer. For example, the profile may limit the available material types to images and videos only. Contact a Negotiator to add more material types, if necessary.

- 4 Click **Next**. The Descriptive Information page opens.




Figure 11: Descriptive Information Page

- 5 Complete the descriptive information fields as required.

NOTES:

- The fields that appear in the list are determined by the material flows associated with the profile of your Producer. Contact a Negotiator to add more fields, if necessary.
 - Required fields are marked by an asterisk.
-

- 6 Click **Next**. The Assertion of Copyright page opens.

The screenshot shows a web form titled "Assertion of Copyright". At the top right, there is a progress indicator with five numbered steps: 1, 2, 3, 4, and 5. The form is organized into three main sections, each with a header: "Access Rights", "Retention Policies", and "Agreement".

- Access Rights:** Contains a single radio button option: "Accessible from institution premises", which is selected.
- Retention Policies:** Contains three radio button options: "5 years and purge" (selected), "No Retention Policy", and "Recycle after 2019".
- Agreement:** Contains a paragraph of text stating: "By submitting the deposited item to the Institutional Repository you warrant that: The information you provided above is full and correct and that you are either the copyright holder of the deposited item or you are authorized by the copyright holder to submit the item to the Institutional Repository. The deposited Material doesn't violate any copyright law. By submitting the deposited item to the Institutional Repository you also agree to provide the Institutional Repository with perpetual, nonexclusive, non transferable right to take the necessary preservation actions to keep the deposited item accessible, including but not limited to conversion of the deposited material to other formats and making copies of the deposited material." Below this text is a checkbox labeled "I accept the terms", which is currently unchecked.

At the bottom of the form, there are two sets of navigation buttons: "< Back Cancel" on the left and "Next >" on the right.

Figure 12: Assertion of Copyright Page

- 7 In the **Access Rights** pane, select access rights that must be assigned to the content you are depositing.

NOTE:

The options that appear in the list are determined by the material flows associated with the profile of your Producer. For example, a Producer profile may enable a Producer Agent to grant access rights to the public only after a 10-week delay. Contact a Negotiator to add more options, if necessary.

- 8 In the Retention Policies pane, select the policy that determines the length of time you want to store the IEs. If the term is indefinite, select **No Retention Policy**.
- 9 In the **Agreement** pane, read the agreement and select the **I accept the terms** check box.
- 10 Click **Next**. The Upload Files page opens.

The Upload Files page enables you to select the files you want to upload. The page that appears is determined by the submission format of the material flows associated with the profile of your Producer.

For more information about each of the submission formats, see:

- [HTTP Load Submission Format](#) on page 28
- [Detailed Submission Format](#) on page 30
- [Bulk Submission Format \(Aurigma Licensed Users Only\)](#) on page 31

The screenshot shows the 'Summary of Deposit' page with the following details:

- Deposit ID:** 24
- Activity ID:** (blank)
- Material Type:** General digital material
- Descriptive Information:**
 - Creator:** Lin Leporid Society
 - Title:** Archives of Leporidae (5)
 - Description:** 5th volume of the collection of the Leporid Society
 - Content Type:** Manuscripts
 - Publisher's name:** -
 - Creation date:** 03/12/2012
 - Notes:** -
- Access rights:**
 - Group:** Accessible from institution premises
- Retention Policies:**
 - Group:** 5 years and purge
- Selected files:**

File Name	Label	Note	Source	Status	Size	Date
1 MarioLuigi.jpg	image1	Back cover		VALID	126.19	

At the bottom, there are buttons for '< Back', 'Cancel', 'Save as Draft', and 'Submit Deposit'.

Figure 13: Summary of Deposit Page

- 11 On the Summary of Deposit page, verify the summary and do one of the following:

- To save your work without depositing the files, click **Save as Draft**. You can deposit the content at a later date.
- To deposit the content, click **Submit Deposit**. Your content is deposited in the Rosetta system. It is reviewed by Staff users who decide whether the content is approved, returned to you for possible re-submission, or declined.

HTTP Load Submission Format

The HTTP load submission format for the Upload Files page contains the following panes:

- The **Select File** pane enables you to select a file by completing the fields as required.
- The **Selected Files** pane displays the files that are selected for the current submission.

The screenshot shows the 'Upload Files' interface. At the top, there is a header with a user icon and the text 'Upload Files', and a progress indicator with five numbered steps (1-5), where step 4 is highlighted. Below the header, the text 'Please upload your files here:' is displayed. The main area is divided into two panes. The first pane, titled 'Select File', contains a 'Description' field with the text 'Unpublished HTTP load.'. Below this are three input fields: 'File' (with a 'Browse...' button), 'Label', and 'Notes'. An 'Add Selected File' button is located below these fields. The second pane, titled 'Selected Files', contains a table with the following data:

#	Set Order	File Name	Label	Note	Source	Size	Date	
1	▼	seertlow.gif	image1			.04		Edit Remove
2	▲	seeright.gif				.78		Edit Remove

At the bottom of the interface, there are '< Back' and 'Cancel' buttons on the left, and a 'Next >' button on the right.

Figure 14: HTTP Load Submission Format

To upload a file using the HTTP load submission format:

- 1 On the Upload Files page (see [Figure 14, HTTP Load Submission Format](#)), in the Select File pane, **File** field, click **Browse**.

The Open a File dialog box opens.

- 2 In the Open a File dialog box, select a file you want to upload and click **Open**.
- 3 Enter optional information in the **Label** and **Notes** fields. (These fields will be displayed in the Delivery module.)
- 4 Click **Add Selected File**.
The selected file is listed in the **Selected Files** pane.
- 5 Repeat steps 1-4 to select additional files, if necessary.
- 6 In the **Selected Files** pane, reorder and remove files, if necessary, using the arrow buttons to the left of the file names or the **Edit/Remove** text links to the right.
- 7 Once you have selected and ordered all your files, click **Next**.
The Summary of Deposit page opens.

The screenshot shows the 'Summary of Deposit' page. At the top, there is a navigation bar with steps 1 through 5, where step 5 is highlighted. Below the title, the deposit details are shown: Deposit 24, Activity ID, and Material Type General digital material. The page is divided into several sections, each with a minus sign icon to collapse it: Descriptive Information, Access rights, Retention Policies, and Selected files. The Descriptive Information section contains a table with fields for Creator, Description, Creation date, Title, Content Type, Publisher's name, and Notes. The Access rights section shows the Group as 'Accessible from institution premises'. The Retention Policies section shows the Group as '5 years and purge'. The Selected files section contains a table with columns for File Name, Label, Note, Source, Status, Size, and Date. At the bottom, there are buttons for '< Back Cancel', 'Save as Draft', and 'Submit Deposit'.

File Name	Label	Note	Source	Status	Size	Date
1 MarioLuigi.jpg	image1	Back cover		VALID	128.19	

Figure 15: Summary of Deposit Page

- 8 Complete the procedure by clicking **Save as Draft** (which holds the submission without sending it) or by clicking **Submit Deposit** (which submits the deposit to Rosetta).

Detailed Submission Format

In the detailed submission format, Producer Agents must upload the file type(s) specified on the Upload Files page. These specifications are created in the Management module.

The Description field of the Upload Files page for the detailed submission format contains the information on the type of file the Producer Agent needs to upload. (See **Figure 16, Detailed Submission Format.**)

The screenshot shows a web interface titled "Upload Files" with a progress indicator (1-2-3-4-5) where step 4 is active. The main heading is "Please upload your files here:". Below this are three distinct upload sections, each with a minus sign icon and a title:

- Upload File 1:** Description: Description. Fields: File (with "Browse..." button), Label, Notes (with scrollbars).
- Upload File 2:** Description: Stream. Fields: File (with "Browse..." button), Label, Notes (with scrollbars).
- Upload File 3:** Description: Stream. Fields: File (with "Browse..." button), Label, Notes (with scrollbars).

At the bottom of the interface, there are navigation buttons: "< Back", "Cancel", and "Next >".

Figure 16: Detailed Submission Format

Additional fields are described in the following table:

Table 4. Upload Files Page of the Detailed Submission Format

Fields	Description
Description	Displays the type of file that must be deposited in this entry.
File	Provides a Browse button to open a navigation dialog box and find the file you want to upload.
Label	Provides a field for a label to be shown when the IE is viewed in Delivery (optional).
Notes	Provides a space for notes about the file (optional).

To upload files using the detailed submission format:

- 1 On the Upload Files page (see **Depositing Content Manually** on page 24), click **Browse** and, in the Open a File dialog box, select the file you want to upload.
- 2 Enter a label and notes for the file (optional).
- 3 Click **Add Selected File**.
- 4 Click **Next**.

The Summary of Deposit page opens. Complete the procedure using Step 11 of **Depositing Content Manually**.

Bulk Submission Format (Aurigma Licensed Users Only)

The Bulk Submission page allows you to submit multiple files simultaneously.




Figure 17: Bulk Submission Page

Add files to the Bulk Submission Page by:

- dragging and dropping files onto the page
- clicking **Add more files** and selecting the files
- clicking **Add folder** and selecting the folder




Figure 18: Files to Upload

When you have finished selected the files for upload, click **Upload** and **Next**.

The Summary of Deposit page opens. Complete the procedure using Step **11** of **Depositing Content Manually** on page **24**.

Automated Deposit

When Producer Agents deposit content automatically, the files are uploaded to the Rosetta system from a predefined location on a remote server or local computer. The location is defined in the material flow. Producer Agents can use the automated deposit for uploading large amounts of content.

The following submission formats are supported for automated deposit:

- File Transfer Protocol (FTP) - for content that is located on a remote server
- Network File System (NFS) - for content that is located on a local computer

For more information, see [Depositing Content Automatically](#) on page 34.

Depositing Content Automatically

When Producer Agents deposit content automatically, the files are uploaded to the Rosetta system from a predefined location on a remote server or local computer. The location is defined in the material flow.

For example, a staff user can create a material flow that uploads all files from the folder `/exlibris/dps/d4_1/system.dir/dps-sdk/data/` to the Rosetta system.

Producer Agents prepare a folder with all the stream files and a METS file that describes the metadata and other details of the stream files. Producer Agents then select the desired automated material flow and verify the information.

The Rosetta system uploads content using either FTP (from a server) or NFS (from a local computer).

NOTES:

When depositing a SIP through an automated material flow, the user can use a `dc.xml` file instead of the metadata form. This metadata will not be part of the IE descriptive metadata and it is only available to staff users during SIP processing.

Rosetta supports the following elements for assigning an external system and ID to a SIP:

- `<rosetta:externalSystem>`
- `<rosetta:externalId>`

These can be used to retrieve a SIP's status without knowing the ID that Rosetta assigned to it.

The following is a diagram of the directory structure of the SIP that can be uploaded by the automated material flow.




Figure 19: Uploading a SIP by Automated Material Flow

NOTE:

Some material flows may support loading files from other locations. For further information, see **About Configuring Material Flow Infrastructure** on page 87 of the *Rosetta Staff User's Guide*.

To deposit content using the automated material flow:

- 1 Log on to the Rosetta system. The Deposit Activities page opens.




Figure 20: Deposit Activities Page (Partial)

- 2 Click **Add Deposit Activity**. The Type of Material page opens.



Figure 21: Type of Material Page

- 3 Select the type of material that is configured for automatic deposit.

NOTE:

The options that appear in the list are determined by the material flows associated with the profile of your Producer. If no automated material flows are associated with the profile, they are not displayed in this list. Contact a Negotiator to configure an automated material flow, if necessary.

- 4 Click **Next**. The FTP - Complete Details page opens.

Material Flow Name	Server Name	Published	Submission Format Name	Root Directory	FTP Published
		il-dldev04			Wiler01/public

Choose a sub-directory

	Directory Name	Date
1	<input type="radio"/> Directory1	23/12/2007
2	<input type="radio"/> Directory2	23/12/2007
3	<input type="radio"/> Directory3	23/12/2007
4	<input type="radio"/> Directory4	23/12/2007

< Back Cancel **Next**

Figure 22: FTP - Complete Details Page

- 5 Select a directory to which your content must be uploaded.
- 6 Click **Next**. The Summary of Deposit page opens.

Deposit Activity ID	Material Type
648	Int. Digitisation Image

Acquiring Information

Files location
/exlibris/dps/d4_1/system dir/dps-sdl/data/depositExamples/

< Back Cancel **Save as Draft** **Submit Deposit**

Figure 23: Summary of Deposit Page

- 7 On the Summary of Deposit page, verify the summary and:
 - To save your work without depositing the files, click **Save as Draft**. You can deposit the content at a later date.
 - To deposit the content, click **Submit Deposit**. Your content is deposited in the Rosetta system. It is reviewed by Staff users, who decide whether the content is approved, returned to you for possible re-submission, or declined.

Depositing SIPs in CSV Structure

Producer Agents whose libraries have configured a CSV submission template can submit content that conforms to the template specifications.

Files can be loaded one by one or as multiple files.

csv limits:

- metadata delivered to a CSV file
- metadata follows the CSV template created by library staff
- object delivery to one ZIP file

The CSV file comes from the staff user and can be generated from the Content Structure form.

In the generated CSV, the columns names are created with the object type as part of the name (for example, IE.Title, File.File Name).

Table 5. CSV Columns

Object Type	Title	Alternative Title	Preservation Type	Usage Type	Revision Number	File Mime Type	File Name	File Label
SIP	CSV Load							
IE	test 1	test11						
Representation			PRESERVATION MASTER	VIEW	1			
FILE						image/jpeg	door1.jpg	door 1
FILE						image/jpeg	door2.jpg	door 2
FILE						image/jpeg	door3.jpg	door 3

To submit content packaged in the CSV format:

- 1 Log on to your Rosetta Deposit account and choose your Producer.
- 2 Click **Continue**.
 The Deposit Activities page opens.
- 3 Click the **Add Deposit Activity** button.
 Step 1 of the deposit wizard opens (see figure below).




Figure 24: Select Type of Material

- 4 Select the type of CSV material you want to deposit. (Options depend on how your institution or Administrator has set them up.) Click **Next**.

The Upload Files page opens. For uploading CSV files, there will be a **Browse** button for your zip file and, below it, a **Browse** button for your CSV file.

- 5 Click the first **Browse** button and find your zip file on your computer, then select it.

The wizard page reloads with the name of your zip file.

- 6 If it has been deemed necessary and thus configured by the staff of your institution, a **Generate** button appears on the reloaded page (see below). Click this button to generate and download a CSV file with the metadata for your zip file. You can edit the CSV locally, then upload and continue the deposit activity submission. If no such button appears, skip to step 7.




Figure 25: Upload Files Page with Generate CSV File Section

- 7 Under the Upload File 2 heading, click the Browse button, navigate to your descriptive csv file and select it, then click **Next**.




Figure 26: Summary of CSV-Loaded Deposit

- 8 To save the upload and return to the work at a later time, click the **Save as Draft** button. To submit the deposit for staff review, click the **Submit Deposit** button.

The system processes the load according to your selection. If it detects errors and cannot process the data, it displays an error message on the next page.

Collections

It is also possible to create collections and assign IEs to the collections using a CSV material flow.

A CSV deposit with collections can be performed by adding one or more collection rows (object type = COLLECTION) to the CSV file. The collection row should be placed above the IE level and contain all IEs below it (until the next collection row is defined).

CSV deposit with collections requires the following:

- The `dc:title` attribute must be defined in the CSV mapping table and added to the CSV file. This attribute reflects the collection name, which is a required field. Other `dc` fields are optional.
- If the collection is a subcollection, a `dcterms:isPartOf` value must be included in the CSV file. This attribute should contain the full path of the collections leading up to the current collection using a slash as the path separator.
- If any collection defined in this path does not exist, it will be created with minimal metadata.

Typical usage for CSV with collections is to enable auto-generation, which will automatically fill most of the mandatory collection metadata for you. Contact a Negotiator if you have questions regarding enabling this option.

NOTES:

- The first row contains the labels for the mapping and should not be removed.
 - Only the comma is supported as a delimiter.
 - The CSV file must be encoded in `utf-8` (without BOM)
 - Text with comma must be encapsulated by double quotes (`..., "Surname, Forename", ...`)
 - Escaping: double quotes must be escaped with backslash (`..., "\"The Merry Widow\"", "\"To Be or Not to Be\"", ...`). A backslash must be escaped with an additional backslash.
-

Submissions of Limited METS

Producers can deposit materials using a limited METS format, which means uploading material that can conform to a DC section of METS without requiring the time and potential errors of creating and validating a full METS file. (Only DC is supported.)

The directory structure of a SIP includes limited METS, as described in [Figure 19](#) on page [35](#).

Metadata Types

The metadata types supported by this workflow are at the IE level only and include the following:

- Descriptive metadata (`dmdsec` METS section)
- Source metadata (`sourceMD` METS section)
- Any DNX section at the IE level (for example, `CMS` or `generalIECharacteristics`)

Material Flow

A material flow that uses the limited METS functionality should be created as follows:

- 1 Material flow should be Automated
- 2 Content Structure should be DC or Set Of Files (Simple or Complex)
- 3 Submission format can be any of the types associated with an automated material flow (for example, NFS, FTP, SFTP)

Directory Structure

If the submission job is used to upload limited METS content, the following is the directory structure required by the submission job:

- 1 `//PredefineFolderForSF/-` (Directory)
Rosetta accesses this folder (configured in the submission format to be used) and uploads the content located in one (or more) of the sub-folders beneath it.
- 2 `//PredefineFolderForSF/<SubFolder>` - (Directory)
This directory contains the data of a single intellectual entity that is uploaded to Rosetta.
- 3 `//PredefineFolderForSF/<SubFolder>/content/???.xml` - (File)
The METS file contains the metadata information to be added to the IE(s) created by Rosetta. Only one xml file is expected to be read by Rosetta.
- 4 `//PredefineFolderForSF/<SubFolder>/content/streams` - (Directory)
This directory contains all the IE associated streams. All the files are uploaded to Rosetta into a single REP.

Limited METS Structure

The METS may contain one or more of the following sections:

- Descriptive metadata (dmdsec METS section) – If there is more than one dmdsec, Rosetta will use the first one
- Source metadata (sourceMD METS section)
- Any DNX section at the IE level (for example, CMS or generalIECharacteristics)

The METS file has no naming convention.

An example for such a METS file can be found below.

Limited METS Sample

The following sample includes a descriptive metadata section (dmdSec), a source metadata section (sourceMD) and a DNX section (CMS).

```
<mets:mets xmlns:mets="http://www.loc.gov/METS/">
  <mets:dmdSec ID="ie-dmd">
    <mets:mdWrap MDTYPE="DC">
      <mets:xmlData>
        <dc:record xmlns:dc="http://purl.org/dc/elements/1.1/">
          <dc:creator>Exlibris</dc:creator>

          <dc:identifier>ISBN 1-56389-016-X</dc:identifier>
          <dc:title>Limited Mets Test</dc:title>
        </dc:record>
      </mets:xmlData>
    </mets:mdWrap>
  </mets:dmdSec>

  <mets:amdSec ID="ie-amd">
    <mets:sourceMD ID="ie-amd-source-dc">
      <mets:mdWrap MDTYPE="DC">
        <mets:xmlData>
          <dc:record xmlns:dc="http://purl.org/dc/elements/1.1/">
            <dc:creator>Source MD Creator</dc:creator>
            <dc:title>Source MD (DC) Title</dc:title>
            <dc:date>01-01-2012</dc:date>
          </dc:record>
        </mets:xmlData>
      </mets:mdWrap>
    </mets:sourceMD>
  </mets:amdSec>
</mets:mets>
```

```
<mets:techMD ID="ie-amd-tech">
  <mets:mdWrap MDTYPE="OTHER" OTHERMDTYPE="dnx">
    <mets:xmlData>
      <dnx xmlns="http://www.exlibrisgroup.com/dps/dnx">
        <section id="CMS">
          <record>
            <key id="system">USM01</key>
            <key id="recordId">000002040-0</key>
          </record>
        </section>
      </dnx>
    </mets:xmlData>
  </mets:mdWrap>
</mets:techMD>
</mets:amdSec>
</mets:mets>
```

Content Review

Staff users are responsible for checking content that Producer Agents have deposited. The content review determines whether there are technical issues (such as viruses or corrupted files) or non-technical problems (such as missing files) with the deposited content.

Based on this review, Staff users can make one of the decisions described in the following table:

Table 6. Possible Staff User Decisions

Decision	Description
Approve	Content that is free of any problems and is considered suitable for preservation, may be approved. Once approved, the content is permanently stored in the Rosetta system.
Return	Content that is suitable for preservation, but the content had some problems. For example, if the content contained corrupt files, the content would be returned to the Producer Agent to fix and resubmit.
Decline	Content that is considered unsuitable for preservation may be declined. For example, the content contained vacation pictures of someone who is not famous. Declined content can never be resubmitted.

5

Deposit Activity Management

This section contains:

- [About Deposit Activities](#) on page 47
- [Deposit Activity Folders](#) on page 48
- [Viewing Deposit Activity](#) on page 51
- [Editing and Depositing Draft Deposits](#) on page 53
- [Resubmitting Returned Deposits](#) on page 55
- [Managing Notes](#) on page 58
- [Deleting Deposit Activity](#) on page 59

About Deposit Activities

A deposit activity is a set of files that a Producer Agent deposits or saves for future deposit. A deposit activity, for example, can be 150 scanned pages of a book along with 150 thumbnail files that are used for previews.

Producer Agents manage deposit activities using the Web-based interface. The interface provides information about each deposit activity, including deposit activity status, the reason for return or decline, or the description of a problem. In addition, the interface enables the Producer Agent to perform a number of actions on a deposit activity. For example, the Producer Agent can deposit draft deposit activities or resubmit returned deposit activities.

The actions that Producer Agents can perform on a deposit activity depend on its status. The Rosetta system stores the deposit activities in folders according to their statuses. (For more information, see [Deposit Activity Folders](#) on page 48.)

The Producer Agent is kept informed of the status of the submission through e-mails that are automatically generated by Rosetta at particular points in the review process, such as when the submission is received by the Rosetta system or when part or all of a submission has been rejected. Producer Agents may receive notice when their material is approved and placed in a permanent

repository. This is configurable (see [Adding an E-mail Confirmation in the Rosetta Configuration Guide](#)).

Deposit Activity Folders

The deposit activity folders enable Producer Agents to manage content submitted to the Rosetta system.

Producer Agents can work with the following folders:

- [Drafts](#) (For more information, see [Drafts Folder](#) on page 48.)
- [Submitted](#) (For more information, see [Submitted Folder](#) on page 48.)
- [Returned](#) (For more information, see [Returned Folder](#) on page 49.)
- [Declined](#) (For more information, see [Declined Folder](#) on page 49.)
- [Approved](#) (For more information, see [Approved Folder](#) on page 49.)

Drafts Folder

The Drafts folder contains deposit activities that Producer Agents have saved but have not yet deposited. Deposit activities in the Drafts folder can be edited by a Producer Agent. For example, a Producer Agent can add files, remove files, or change descriptive information.

Producer Agents can perform the following actions on deposit activities in the Drafts folder:

- [Viewing Deposit Activity](#) on page 51
- [Editing and Depositing Draft Deposits](#) on page 53
- [Managing Notes](#) on page 58
- [Deleting Deposit Activity](#) on page 59

Submitted Folder

The Submitted folder contains deposit activities that have been deposited and are waiting for review by a Staff user. Deposit activities in the Submitted folder cannot be edited by a Producer Agent.

Producer Agents can perform the following actions on deposit activities in the Submitted folder:

- [Viewing Deposit Activity](#) on page 51
- [Managing Notes](#) on page 58

Returned Folder

The Returned folder contains deposit activities that Staff users have reviewed and returned to the Producer Agent due to technical or non-technical issues with the content. Staff users can either return the entire deposit activity or specific files only:

- An entire deposit activity can be returned if the descriptive metadata is inaccurate, if some files are missing, or if the access rights are incorrectly defined. Producer Agents can replace and resubmit the individual returned files.
- Individual files can be returned if the file is corrupt or the image quality is poor. Producer Agents can replace and resubmit the individual returned files.

Producer Agents can perform the following actions on deposit activities in the Returned folder:

- [Viewing Deposit Activity](#) on page 51
- [Resubmitting Returned Deposits](#) on page 55
- [Managing Notes](#) on page 58

Declined Folder

The Declined folder contains deposit activities that have been declined by a Staff user. Producer Agents can view the declined deposit activities. In addition, Producer Agents can view the Staff user's reason for, and explanatory notes concerning, the decline. Deposit activities in the Declined folder cannot be edited or deleted by a Producer Agent.

Producer Agents can perform the following actions on deposit activities in the Declined folder:

- [Viewing Deposit Activity](#) on page 51
- [Managing Notes](#) on page 58

Approved Folder

The Approved folder contains deposit activities that have been approved by a Staff user. Deposit activities in the Approved folder cannot be edited by a Producer Agent.

Deposit Activities

Draft(0) Find: in: All

Submitted(76) 11 - 20 of 65 Records < 1 2 3 >>

	Depst ID	Sip ID	Title	Material Flow	Created On	Submitted On	View	IE	Notes	More...
Returned(1)	11	136	136	Sel Title: Monograph	21/05/2013 00:04:31	21/05/2013 00:04:33	View	IE list	Notes	More...
Declined(0)										
Approved(65)	12	135	135	Sel Title: Monograph	20/05/2013 23:56:54	20/05/2013 23:56:56	View	IE list	Notes	More...
	13	134	134	Sel Title: Unpublishe	20/05/2013 23:54:28	20/05/2013 23:54:30	View	IE list	Notes	More...
	14	133	133	Title.De Mono	20/05/2013 23:47:29	20/05/2013 23:47:31	View	IE list	Notes	More...
	15	132	132	Title.Urgn Mon	20/05/2013	20/05/2013	View	IE	Notes	More...

Actions: (circled in purple)

Delete | History

Figure 27: Approved Folder Activities

Producer Agents can click the text link **IE List** to view the list of IEs in permanent storage created from the selected SIP, and to view each IE itself.

Producer Agents can perform the following action on deposit activities in the Approved folder:

- **Viewing Deposit Activity** on page 51

Viewing Deposit Activity

Producer Agents can view deposit activities in each folder. Some information is common to all the folders. For example, all deposit activities have a title, type, and date of creation. All activities also have a link to view a specific item's submission history. See [Activity History](#) on page 51.

In addition, some folders provide data that are specific to the deposit activity status. For example, deposit activities stored in the Returned folder contain a reason why the deposit activity was returned by the Staff user along with explanatory notes from the Staff user.

To view deposit activities:

- 1 Log on to the Rosetta Deposit system. The Deposit Activities page opens.




Figure 28: Deposit Activities Page (Partial)

The page consists of the following two panes:

- Folders, the column on the left, presents the names of the folders and the number of deposit activities stored for each kind.
- Deposit Activities list, to the right of the folders pane, displays deposit activities that are stored in the selected folder along with information about each deposit activity.

NOTE:

A problem description is displayed in the Returned and Declined folders only. This field contains the reason why the deposit activity was returned or declined by the Staff.

- 2 Click the folder you want to view from the folders pane. The deposit activities in this folder are displayed in the Deposit Activities pane.

Activity History

Deposit activities from every folder contain a link to each item's history. The history link appears in the row of the deposit activity, sometimes visible initially

and sometimes only after you click the **More** text in the corresponding row (see [Figure 29](#)).



The screenshot shows the 'Deposit Activities' page. On the left, there is a sidebar with status filters: Draft(1), Submitted(*), Returned(6), Declined(2), and Approved(8). The main area has a search bar with 'Find: ' and 'in: All' and a 'Go' button. Below the search bar is an 'Add Deposit Activity' button and '1 - 6 of 6 Records'. A table displays the following data:

	DepID	Sip ID	Title	Material Flow	Created On	Submitted On	Problem Descr				
1	189	186	Selen Title	Monograph	21/05/2013 00:55:35	21/05/2013 00:55:37	Files Rejected	View	Edit	Notes	More...
Delete History											
2	188	185	Selen Title	Monograph	21/05/2013 00:55:27	21/05/2013 00:55:29	Files Rejected	View	Edit	Notes	More...
3	186	183	Selen	Monograph	21/05/2013	21/05/2013	Corrupted file:te	View	Edit	Notes	More...

Figure 29: Displaying the History Option

When you click the **History** link for an item, the History page for that item opens.



The screenshot shows the 'Deposit > History' page. At the top, it displays 'Deposit Activity ID 502', 'Material Type Digitized Image', 'Title', and 'Created On 07/01/2010 14:56:18'. Below this, it shows 'Submitted On 07/01/2010 14:56:29'. A filter dropdown is set to 'All' and it shows '1 - 2 of 2 Events'. The events are listed in a table:

Event Type	Description	Module	Submitted On
1 Submit Deposit Activity	Deposit Activity 502 was submitted for Producer 10000 using Material Flow 5	Deposit	07/01/2010 14:56:30
2 Submit Deposit Activity	Failed to submit Deposit Activity 502 for Producer 10000 using Material Flow	Deposit	07/01/2010 14:56:42

A '< Back' link is visible at the bottom left.

Figure 30: History Page for Submitted Folder Items

Items will have different amounts and types of events depending on how much they have been processed in the system. [Figure 30](#) from the Submitted folder has two events so far.

To see further details for a history event, click the text under the Event Type heading. The History Event Details page opens ([Figure 31](#)).



Figure 31: History - Event Details Page

The Event Details page provides information such as the date on which the event occurred, issues and problems that arose during processing, and impact to the system.

Editing and Depositing Draft Deposits

Producer Agents can edit and deposit any deposit activity in the Drafts folder. For example, a Producer Agent can add files, remove files, or change descriptive information. In addition, the Producer Agent can deposit the deposit activity.

To edit and deposit draft deposit activity:

- 1 On the Deposit Activities page (see [Viewing Deposit Activity](#) on page 51), locate the deposit activity you want to modify and click **Edit**. The Edit Deposit Activity page opens.

Figure 32: Edit Deposit Activity Page

The Edit Deposit Activity page enables the Producer Agent to change the deposit activity information, as described in the following table:

Table 7. Edit Deposit Activity Tabs

Tab	Description
Descriptive Information	Enables the Producer Agent to edit the content metadata.
Access Rights	Enables the Producer Agent to edit who can view the content and when the content can be viewed.
Upload Files	Enables the Producer Agent to edit the list of files.
Summary	Enables the Producer Agent to view general information about the deposit activity.

- 2 Click the appropriate tabs and make the necessary changes.
- 3 To save the deposit activity and return to it later, click the **Save** button. The deposit activity shows in the Drafts folder.

To send the deposit activity for review, click **Submit**. The deposit activity is moved from the Drafts folder to the Submitted folder.

The deposit activity is submitted to a Staff user for review. Rosetta sends an automated e-mail confirming the submission by the Producer Agent. The e-mail contains

- a time stamp of the Deposit Activity (date and time)
- the Deposit Activity ID
- the Producer ID
- the Producer Name

Resubmitting Returned Deposits

Staff users can either return the entire deposit activity or specific files only. There are different procedures for

- **Resubmitting an Entire Deposit** and
- **Resubmitting Individual Returned Files.**

Most importantly, a Producer Agent must address the relevant issues before resubmitting the deposit activity.

Resubmitting an Entire Deposit

A Producer Agent can resubmit an entire returned deposit activity.

To resubmit an entire deposit:

- 1 On the Deposit Activities page (see **Viewing Deposit Activity** on page 51), in the folders pane, click **Returned**.
- 2 **OPTIONAL:** View any notes about why the item was returned.

- a Locate the deposit activity you want to resubmit and click the corresponding **Notes** text link. The Deposit Notes page opens.




Figure 33: Deposit Activity Notes Page

- b Review the reason why the deposit activity was returned and click **Back** to return to the Deposit Activities page.
- 3 Locate the deposit activity you want to resubmit and click the corresponding **Edit** text link. The Edit Deposit Activity page opens.




Figure 34: Edit Deposit Activity Page

For more information about the tabs on this page, see the table **Edit Deposit Activity Tabs** on page 54.

- 4 Click the appropriate tabs and make the necessary changes.
- 5 Click **Submit**.

The deposit activity is resubmitted to a Staff user for review. The Producer Agent receives a confirmation e-mail.

Resubmitting Individual Returned Files

A Producer Agent can resubmit individual returned files that are stored in the Returned folder.

To resubmit individual files:

- 1 On the Deposit Activities page (see [Viewing Deposit Activity](#) on page 51), in the folders pane, click **Returned**.
- 2 OPTIONAL: View any notes about why the items were returned. Partial or full notes may be viewable on the Deposit Activities page. To see the full note:
 - a Locate the deposit activity containing the files you want to resubmit and click the corresponding **Notes** text link. The Deposit Notes page opens.

Deposit Activity ID	501	Title		Created On	07/01/2010 14:55:05
Material Type	Digitized Image	Submitted On	07/01/2010 14:55:18		

Deposit Activity Notes View

Updated on: 03/02/2010 23:33:29 Updated by: admin1

Notes: Example note

Add Note:

[< Back](#)

Figure 35: Deposit Activity Notes Page

- b Review the reason why the deposit activity was returned and click **Back** to return to the Deposit Activities page.
- 3 Locate the deposit activity containing files that need to be resubmitted and click the **Edit** text link in the corresponding row. The Resubmit Files page opens.

The screenshot shows a web interface for editing a deposit activity. At the top, there's a breadcrumb 'Deposit > Edit Deposit Activity'. Below that, a summary table shows: Deposit Activity ID: 501, Material Type: IMG, Title: LDS Automatic compliant deposit, Submitted On: 07/01/2010 14:55:18, Created On: 07/01/2010 14:55:06. There are two tabs: 'Files location' (selected) and 'Summary'. Below the tabs, there's a table with columns: Material Type, Submission Format Name, LDS Automatic compliant deposit, LDS SF for extension of Internal NFS, Root Directory, and Current Directory. A 'Select a sub-directory' section follows, containing a table with columns 'Directory Name' and 'Date'. The table lists five entries: 1. DepositExample1 (09/11/2009 00:19:04), 2. DepositExample2 (09/11/2009 00:19:04), 3. DepositExample3 (09/11/2009 00:19:05), 4. docx test (10/12/2009 11:03:34), 5. 1076 (10/12/2009 11:03:34). At the bottom, there are 'Cancel', 'Save', and 'Re-submit' buttons.

Figure 36: Resubmit Files Page

- 4 OPTIONAL: Click the **Problem** link to view details about why the file was returned, then click **Back** to return to the procedure.
- 5 Click the **Replace** text link in the row of the file you want to replace.
The page refreshes with an Upload File pane.
- 6 Click the **Browse** button in the Upload File pane and, in the Open a File dialog box, select the file to replace the returned one.
- 7 Click the **Upload** button.
- 8 Enter information, as needed, in the **Label** or **Notes** fields.
- 9 Repeat steps 5 to 8 for each file you want to resubmit.
- 10 Click **Submit**.

The deposit activity is resubmitted to a Staff user for review. The Producer Agent receives a confirmation e-mail.

Managing Notes

Staff users record notes to explain why content was returned or declined. In addition, Producer Agents can record explanatory notes for the Staff users when they submit a deposit activity.

Producer Agents can view notes that are stored in all folders and can add and edit notes that are stored in the Drafts, Submitted, and Returned folders.

To view, add, or edit notes:

- 1 On the Deposit Activities page (see **Viewing Deposit Activity** on page 51), in the folders pane, click the folder containing the submission to which you want to add a note.
- 2 Locate the deposit activity with which you want to work and click the **Notes** text in the same row. The Deposit Activity Notes page opens.




Figure 37: Deposit Activity Notes Page

- 3 To add a note, enter the information in the **Add Note** field and click the **Add Note** button.
- 4 Click **Save** to save your changes.

Deleting Deposit Activity

A Producer Agent can delete deposit activities from the Drafts folder. Once a deposit activity is deleted, it cannot be restored.

To delete a draft deposit activity:

- 1 On the Deposit Activities page (see **Viewing Deposit Activity** on page 51), in the folders pane, click **Drafts**.
- 2 Locate the deposit activity you want to delete and click **More**. Additional options are displayed.
- 3 Click **Delete**.

The deposit activity is deleted from the Rosetta system.

Index

A

approved content, 45
Assessors, Arrangers, and Approvers, 11
automatic deposit, 33

B

bulk submission format, 31

C

comma-separated values
 see CSV
content
 depositing, 21
 material flows, 22
 review, 45
 Staff user decisions, 45
CSV (comma-separated values), 22, 37

D

declined content, 45
deposit activity, 47
 deleting, 59
 edit/deposit, 53
 folders, 48
 Approved, 49
 Declined, 49
 Drafts, 48, 53
 Returned, 49
 Submitted, 48
 history, 51
 notes, 58
 resubmitting, 55
 entire activity, 55
 individual files, 57
 status, 47
 viewing, 51
 Web-based, 47
Deposit Activity Notes page, 59
Deposit Manager, 10, 11
depositing
 automatically, 33, 34
 content, 14, 21
 CSV, 37
 manually, 22, 24
 material flows, 22

detailed submission format, 30

G

Group Producer, 7

H

HTTP load
 submission format, 28
HTTP load submission format, 28

I

Individual Producer, 7

L

language, changing interface, 11
limited METS, 41
 directory structure, 42
 material flow, 42
 sample, 43
 structure, 43

M

manual deposit, 22
material flows, 22, 36
METS
 limited, 41

N

Negotiator, 10, 11, 18

P

Producer, 5, 7, 8, 22
 Group, 7
 Individual, 7
 register, 13
 self-register, 14
Producer Agent, 5, 7, 8, 22, 47
 profiles, 9
 register, 14, 16
 self-register, 14
profiles, 9
 generic, 10
 personalized, 10

R

returned content, 45
Rosetta system, 8

S

Staff users, 5, 10, 45
submission format
 bulk, 24, 31
 detailed, 23, 30
 FTP, 33
 HTTP load, 23, 28
 NFS, 33

T

Technical Analysts, 11
tsubmission format
 HTTP load, 28
Type of Material page, 36

V

viewing deposit activity, 51